

Publications (peer-reviewed original articles, abstracts)

Prof. Dr. rer nat. Wolfgang Bäumlér

Department of Dermatology, University of Regensburg, Germany

by April 2022

Publications 214 Total From 1965 to 2022	Citing Articles 3,931 Analyze Total 3,822 Analyze Without self-citations	Times Cited 5,591 Total 5,164 Without self-citations	26.13 Average per item	44 H-index
---	---	---	----------------------------------	----------------------

1. Kurz B, Haslbock B, Siewert K, Weiss K, Baumler W. Investigation of adverse reactions in tattooed skin through histological and chemical analysis. *Exp Dermatol* 2022; 31(2):E2-E3.
2. Baumler W, Breu C, Philipp B, Haslbock B, Berneburg M, Weiss KT. The efficacy and the adverse reactions of laser-assisted tattoo removal - a prospective split study using nanosecond and picosecond lasers. *J Eur Acad Dermatol* 2022; 36(2):305-312.
3. Weiss KT, Schreiver I, Siewert K, Luch A, Haslboeck B, Berneburg M, Baeumlér W. Tattoos - mehr als nur kolorierte Haut? Auf der Suche nach Tattoo-Allergenen. *J Dtsch Dermatol Ges* 2021; 19(5):657-671.
4. Weiss KT, Schreiver I, Siewert K, Luch A, Haslboeck B, Berneburg M, Baumler W. Tattoos - more than just colored skin? Searching for tattoo allergens. *J Dtsch Dermatol Ges* 2021.
5. Paasch U, Drosner M, Seeber N, Baumler W. Legal Changes for Light- and Laser Interventions in Dermatology according to TROS 2018 & NiSV. *J Dtsch Dermatol Ges* 2021; 19:32-32.
6. Eckl DB, Eben SS, Schottenhaml L, Eichner A, Vasold R, Spath A, Baumler W, Huber H. Interplay of phosphate and carbonate ions with flavin photosensitizers in photodynamic inactivation of bacteria. *Plos One* 2021; 16(6).
7. Baumler W, Eckl D, Holzmann T, Schneider-Brachert W. Antimicrobial coatings for environmental surfaces in hospitals: a potential new pillar for prevention strategies in hygiene. *Crit Rev Microbiol* 2021.
8. Eichner A, Holzmann T, Eckl DB, Zeman F, Koller M, Huber M, Pemmerl S, Schneider-Brachert W, Baumler W. Novel photodynamic coating reduces the bioburden on near-patient surfaces thereby reducing the risk for onward pathogen transmission: a field study in two hospitals. *J Hosp Infect* 2020; 104(1):85-91.
9. Eckl DB, Huber H, Baumler W. First Report on Photodynamic Inactivation of Archaea Including a Novel Method for High-Throughput Reduction Measurement. *Photochem Photobiol* 2020; 96(4):883-889.
10. Baumler W. Chemical hazard of tattoo colorants. *Presse Med* 2020; 49(4).
11. Schreiver I, Hesse B, Seim C, Castillo-Michel H, Anklamm L, Villanova J, Dreijack N, Lagrange A, Penning R, De Cuyper C, Tucoulou R, Baumler W, Cotte M, Luch A. Distribution of nickel and chromium containing particles from tattoo needle wear in humans and its possible impact on allergic reactions. *Part Fibre Toxicol* 2019; 16(1).
12. Baumler W, Weiss KT. Laser assisted tattoo removal - state of the art and new developments. *Photoch Photobio Sci* 2019; 18(2):349-358.
13. Arndt S, Lissner C, Unger P, Bollwein G, Baumler W, Karrer S. Biological effects of a conventional UVA1-light source and a LED-based UVA1 device prototype in the treatment of morphea in vitro and in vivo. *Exp Dermatol* 2019; 28(3):E84-E84.
14. Schreiner M, Baumler W, Eckl DB, Spath A, König B, Eichner A. Photodynamic inactivation of bacteria to decolonize methicillin-resistant *Staphylococcus aureus* from human skin. *Brit J Dermatol* 2018; 179(6):1358-1367.
15. Karsai S, Baumler W, Weiss C, Faulhaber J, Raulin C. Laser tattoo removal: do we already have picosecond lasers? *J Dtsch Dermatol Ges* 2018; 16(4):468-470.
16. Eckl DB, Dengler L, Nemmert M, Eichner A, Baumler W, Huber H. A Closer Look at Dark Toxicity of the Photosensitizer TMPyP in Bacteria. *Photochem Photobiol* 2018; 94(1):165-172.
17. Pinto F, Grosse-Buning S, Karsai S, Weiss C, Baumler W, Hammes S, Felcht M, Raulin C. Neodymium-doped yttrium aluminium garnet (Nd:YAG) 1064-nm picosecond laser vs. Nd:YAG 1064-nm nanosecond laser in tattoo removal: a randomized controlled single-blind clinical trial. *Brit J Dermatol* 2017; 176(2):457-464.
18. Laux P, Tralau T, Tentschert J, Blume A, Al Dahouk S, Baumler W, Bernstein E, Bocca B, Alimonti A, Colebrook H, de Cuyper C, Dahne L, Hauri U, Howard PC, Janssen P, Katz L, Klitzman B, Kluger N, Krutak L, Platzek T, Scott-Lang V, Serup J, Teubner W, Schreiver I, Wilkniss E, Luch A. A medical-toxicological view of tattooing. *Lancet* 2016; 387(10016):395-402.
19. Karsai S, Baumler W, Raulin C. Laser tattoo removal: is there light at the end of the tunnel or is it just the light of an oncoming train? *Brit J Dermatol* 2016; 175(6):1338-1339.
20. Baumler W. Tattoos and Their Potential Health Consequences. *Dtsch Arztebl Int* 2016; 113(40):663-664.
21. Gollmer A, Felgentrager A, Baumler W, Maisch T, Spath A. A novel set of symmetric methylene blue derivatives exhibits effective bacteria photokilling - a structure-response study. *Photoch Photobio Sci* 2015; 14(2):335-351.
22. Eichner A, Gollmer A, Spath A, Baumler W, Regensburger J, König B, Maisch T. Fast and effective inactivation of *Bacillus atrophaeus* endospores using light-activated derivatives of vitamin B2. *Photoch Photobio Sci* 2015; 14(2):387-396.

23. Spath A, Leibl C, Cieplik F, Lehner K, Regensburger J, Hiller KA, Baumler W, Schmalz G, Maisch T. Improving Photodynamic Inactivation of Bacteria in Dentistry: Highly Effective and Fast Killing of Oral Key Pathogens with Novel Tooth-Colored Type-II Photosensitizers. *J Med Chem* 2014; 57(12):5157-5168.
24. Regensburger J, Knak A, Berneburg M, Maisch T, Baumler W. Singlet oxygen measurement in skin during UV irradiation - from single molecule to complex skin structure. *Exp Dermatol* 2014; 23(3):E40-E40.
25. Maisch T, Eichner A, Spath A, Gollmer A, König B, Regensburger J, Baumler W. Fast and Effective Photodynamic Inactivation of Multiresistant Bacteria by Cationic Riboflavin Derivatives. *Plos One* 2014; 9(12).
26. Lehner K, Santarelli F, Vasold R, Penning R, Sidoroff A, König B, Landthaler M, Baumler W. Black Tattoos Entail Substantial Uptake of Genotoxic polycyclic Aromatic Hydrocarbons (PAH) in Human Skin and Regional Lymph Nodes. *Plos One* 2014; 9(3).
27. Knak A, Regensburger J, Maisch T, Baumler W. Exposure of vitamins to UVB and UVA radiation generates singlet oxygen. *Photoch Photobio Sci* 2014; 13(5):820-829.
28. Knak A, Regensburger J, Berneburg M, Baumler W. Singlet oxygen generated by skin care products and their ingredients via UVB excitation. *Exp Dermatol* 2014; 23(3):E38-E38.
29. Klein A, Rittmann I, Hiller KA, Landthaler M, Baumler W. An Internet-based survey on characteristics of laser tattoo removal and associated side effects. *Laser Med Sci* 2014; 29(2):729-738.
30. Gollmer A, Schroder J, Eichner A, Maisch T, Berneburg M, Baumler W. Investigation of ultra-structural changes in multiresistant bacteria upon photodynamic treatment. *Exp Dermatol* 2014; 23(3):E39-E40.
31. Gollmer A, Schroder J, Eichner A, Maisch T, Berneburg M, Baumler W. High resolution imaging of endospores upon photodynamic treatment. *Exp Dermatol* 2014; 23(3):E40-E40.
32. Felgentrager A, Spath A, Maisch T, Baumler W. Singlet oxygen luminescence in a polyurethane matrix and its phototoxic efficacy on *S. aureus*. *Exp Dermatol* 2014; 23(3):E38-E38.
33. Felgentrager A, Maisch T, Spath A, Schroder JA, Baumler W. Singlet oxygen generation in porphyrin-doped polymeric surface coating enables antimicrobial effects on *Staphylococcus aureus*. *Phys Chem Chem Phys* 2014; 16(38):20598-20607.
34. Eichner A, Maisch T, Spath A, Gollmer A, König B, Regensburger J, Berneburg M, Baumler W. Bad bugs - no drugs? Vitamins kill multiresistant bacteria within seconds by light activation. *Exp Dermatol* 2014; 23(3):E39-E39.
35. Wiegell SR, Fabricius S, Heydenreich J, Enk CD, Rosso S, Baumler W, Baldursson BT, Wulf HC. Weather conditions and daylight-mediated photodynamic therapy: protoporphyrin IX-weighted daylight doses measured in six geographical locations. *Brit J Dermatol* 2013; 168(1):186-191.
36. Wenzel SM, Rittmann I, Landthaler M, Baumler W. Adverse Reactions after Tattooing: Review of the Literature and Comparison to Results of a Survey. *Dermatology* 2013; 226(2):138-147.
37. Regensburger J, Colmorgen F, Felgentrager A, Baumler W, Maisch T. Comparison of different new phenothiazine dyes and its antimicrobial activities. *Exp Dermatol* 2013; 22(3):E36-E37.
38. Knak A, Regensburger J, Maisch T, Baumler W. UVA and UVB radiation changes endogenous molecules in different ways and influence therefore their ability to generate singlet oxygen - potential new pathways of cell damage? *Exp Dermatol* 2013; 22(3):E36-E36.
39. Klein A, Buschmann M, Babilas P, Landthaler M, Baumler W. Indocyanine green-augmented diode laser therapy vs. long-pulsed Nd:YAG (1064 nm) laser treatment of telangiectatic leg veins: a randomized controlled trial. *Brit J Dermatol* 2013; 169(2):365-373.
40. Klein A, Baumler W, Buschmann M, Landthaler M, Babilas P. A Randomized Controlled Trial to Optimize Indocyanine Green-Augmented Diode Laser Therapy of Capillary Malformations. *Laser Surg Med* 2013; 45(4):216-224.
41. Gonzales FP, Felgentrager A, Baumler W, Maisch T. Fungicidal photodynamic effect of a twofold positively charged porphyrin against *Candida albicans* planktonic cells and biofilms. *Future Microbiol* 2013; 8(6):785-797.
42. Gollmer A, Regensburger J, Maisch T, Baumler W. Luminescence spectroscopy of singlet oxygen enables monitoring of oxygen consumption in biological systems consisting of fatty acids. *Phys Chem Chem Phys* 2013; 15(27):11386-11393.
43. Felgentrager A, Gonzales FP, Maisch T, Baumler W. Ion-induced stacking of photosensitizer molecules can remarkably affect the luminescence detection of singlet oxygen in *Candida albicans* cells. *J Biomed Opt* 2013; 18(4).
44. Enko B, Borisov SM, Regensburger J, Baumler W, Gescheidt G, Klimant I. Singlet Oxygen-Induced Photodegradation of the Polymers and Dyes in Optical Sensing Materials and the Effect of Stabilizers on These Processes. *J Phys Chem A* 2013; 117(36):8873-8882.
45. Eichner A, Gonzales FP, Felgentrager A, Regensburger J, Holzmann T, Schneider-Brachert W, Baumler W, Maisch T. Dirty hands: photodynamic killing of human pathogens like EHEC, MRSA and *Candida* within seconds. *Photoch Photobio Sci* 2013; 12(1):135-147.
46. Cieplik F, Spath A, Tabenski L, Hiller KA, Baumler W, Maisch T. Photosensitizer SAPYR: super antimicrobial photodynamic reduction of *Enterococcus faecalis* in mono- and polyspecies biofilms. *Int J Med Microbiol* 2013; 303:41-41.
47. Cieplik F, Spath A, Regensburger J, Gollmer A, Tabenski L, Hiller KA, Baumler W, Maisch T, Schmalz G. Photodynamic biofilm inactivation by SAPYR-An exclusive singlet oxygen photosensitizer. *Free Radical Bio Med* 2013; 65:477-487.
48. Baumler W, Paasch U, Klein A, Landthaler M, Friedman R, Shafirstein G. Intravenous injection of indocyanine green to enhance laser-assisted coagulation of blood vessels in skin - an animal study. *J Eur Acad Dermatol* 2013; 27(2):E206-E211.
49. Spannberger F, Regensburger J, Felgentrager A, Baumler W, Maisch T. Fast and effective: intense pulse light photodynamic inactivation of bacteria. *Exp Dermatol* 2012; 21(3):e40-e40.
50. Shafirstein G, Baumler W, Hennings LJ, Siegel ER, Friedman R, Moreno MA, Webber J, Jackson C, Griffin RJ. Indocyanine green enhanced near-infrared laser treatment of murine mammary carcinoma. *Int J Cancer* 2012; 130(5):1208-1215.

51. Regensburger J, Knak A, Maisch T, Landthaler M, Baumler W. Fatty acids and vitamins generate singlet oxygen under UVB irradiation. *Exp Dermatol* 2012; 21(2):135-139.
52. Regensburger J, Felgentrager A, Knak A, Santarelli F, Maisch T, Baumler W. Investigations of singlet oxygen detection in different environments for a better insight into aPDT. *Exp Dermatol* 2012; 21(3):e39-e39.
53. Maisch T, Spannberger F, Regensburger J, Felgentrager A, Baumler W. Fast and effective: intense pulse light photodynamic inactivation of bacteria. *J Ind Microbiol Biot* 2012; 39(7):1013-1021.
54. Maisch T, Kowalewski E, Holzmann T, Schneider-Brachert W, Baumler W. Photodynamic killing of enterohaemorrhagic *Escherichia coli* (EHEC) for the first time using TMPyP. *Exp Dermatol* 2012; 21(3):e40-e40.
55. Lehner K, Santarelli F, Vasold R, Penning R, König B, Landthaler M, Baumler W. Detection of hazardous polycyclic aromatic hydrocarbons (PAH) in black tattooed human skin and lymph nodes. *Exp Dermatol* 2012; 21(3):e49-e49.
56. Knak A, Regensburger J, Maisch T, Baumler W. UVB and singlet oxygen-potential new pathways of cell damage? *Exp Dermatol* 2012; 21(3):e39-e39.
57. Klein A, Szeimies RM, Baumler W, Zeman F, Schreml S, Hohenleutner U, Landthaler M, Koller M, Babilas P. Indocyanine green-augmented diode laser treatment of port-wine stains: clinical and histological evidence for a new treatment option from a randomized controlled trial. *Brit J Dermatol* 2012; 167(2):333-342.
58. Klein A, Baumler W, Koller M, Shafirstein G, Kohl EA, Landthaler M, Babilas P. Indocyanine green-augmented diode laser therapy of telangiectatic leg veins: A randomized controlled proof-of-concept trial. *Laser Surg Med* 2012; 44(5):369-376.
59. Hees H, Raulin C, Baumler W. Laser treatment of onychomycosis: an in vitro pilot study. *J Dtsch Dermatol Ges* 2012; 10(12):913-917.
60. Felgentrager A, Gonzales FP, Maisch T, Baumler W. Detection of singlet oxygen luminescence in *Candida albicans* biofilm and phototoxic efficacy of the photodynamic inactivation. *Exp Dermatol* 2012; 21(3):e39-e40.
61. Eichner A, Holzmann T, Schneider W, Baumler W, Maisch T. Blue light and dye: Photodynamic inactivation of enterohaemorrhagic *Escherichia coli* (EHEC) for the first time using TMPyP. *Int J Med Microbiol* 2012; 302:29-29.
62. Baumler W, Shafirstein G. Treatment of Leg Veins with Indocyanine Green and Lasers Investigated with Mathematical Modeling. *Laser Surg Med* 2012; 44:32-32.
63. Baumler W, Regensburger J, Knak A, Felgentrager A, Maisch T. UVA and endogenous photosensitizers - the detection of singlet oxygen by its luminescence. *Photoch Photobio Sci* 2012; 11(1):107-117.
64. Baumler W, Maisch T. Fast and Effective: Intense Pulse Light Photodynamic Inactivation of Bacteria. *Laser Surg Med* 2012; 44:43-43.
65. Shafirstein G, Friedman A, Siegel E, Moreno M, Baumler W, Fan CY, Morehead K, Vural E, Stack BC, Suen JY. Using 5-Aminolevulinic Acid and Pulsed Dye Laser for Photodynamic Treatment of Oral Leukoplakia. *Arch Otolaryngol* 2011; 137(11):1117-1123.
66. Maisch T, Moor ACE, Regensburger J, Ortland C, Szeimies RM, Baumler W. Intense Pulse Light and 5-ALA PDT: Phototoxic Effects In Vitro Depend on the Spectral Overlap With Protoporphyrin IX But Do Not Match Cut-Off Filter Notations. *Laser Surg Med* 2011; 43(2):176-182.
67. Maisch T, Hackbarth S, Regensburger J, Felgentrager A, Baumler W, Landthaler M, Roder B. Photodynamic inactivation of multi-resistant bacteria (PIB) - a new approach to treat superficial infections in the 21st century. *J Dtsch Dermatol Ges* 2011; 9(5):360-366.
68. Lehner K, Santarelli F, Vasold R, König B, Landthaler M, Baumler W. PAK, Phenol, Plasticizers and other Things in black Tattoo inks. *J Dtsch Dermatol Ges* 2011; 9:154-154.
69. Lehner K, Santarelli F, Vasold R, König B, Landthaler M, Baumler W. Black tattoo inks are a source of problematic substances such as dibutyl phthalate. *Contact Dermatitis* 2011; 65(4):231-238.
70. Lehner K, Santarelli F, Regensburger J, Vasold R, Maisch T, König B, Baumler W. Black tattoo inks in skin - a hazard chemical cocktail? *Exp Dermatol* 2011; 20(2):208-208.
71. Lehner K, Santarelli F, Regensburger J, Maisch T, Vasold R, König B, Landthaler M, Baumler W. Black Tattoo ink as a Trojan horse for PAK? *J Dtsch Dermatol Ges* 2011; 9:154-154.
72. Lehner K, Santarelli F, Penning R, Vasold R, Engel E, Maisch T, Gastl K, König B, Landthaler M, Baumler W. The decrease of pigment concentration in red tattooed skin years after tattooing. *J Eur Acad Dermatol* 2011; 25(11):1340-1345.
73. Klein A, Baumler W, Landthaler M, Babilas P. Laser thermal therapy of benign skin tumours: Review and update. *Int J Hyperther* 2011; 27(8):762-770.
74. Duchini G, Baumler W, Bircher AJ, Scherer K. Failure of omalizumab (Xolair (R)) in the treatment of a case of solar urticaria caused by ultraviolet A and visible light. *Photodermatol Photo* 2011; 27(6):336-337.
75. Baumler W. Direct Detection of UVA-induced Singlet Oxygen. *J Dtsch Dermatol Ges* 2011; 9:30-31.
76. Baumler W. Use and Abuse of IPL Technology. *J Dtsch Dermatol Ges* 2011; 9:89-89.
77. Barnes K, Shafirstein G, Baumler W, Friedman R, Hennings L, Sarimollaoglu M, Webber J, Jackson C, Suen J, Griffin R. Hyperthermia Enhanced Image Guided Laser-Icg Therapy. *Laser Surg Med* 2011; 43:920-920.
78. Babilas P, Klein A, Baumler W, Landthaler M. IPL - the best Technology for the Photo-epilation? *J Dtsch Dermatol Ges* 2011; 9:89-90.
79. Wenzel SM, Welzel J, Hafner C, Landthaler M, Baumler W. Permanent make-up colorants may cause severe skin reactions. *Contact Dermatitis* 2010; 63(4):223-227.
80. Regensburger J, Maisch T, Felgentrager A, Santarelli F, Baumler W. A helpful technology - the luminescence detection of singlet oxygen to investigate photodynamic inactivation of bacteria (PDIB). *J Biophotonics* 2010; 3(5-6):319-327.
81. Regensburger J, Lehner K, Maisch T, Vasold R, Santarelli F, Engel E, Gollmer A, König B, Landthaler M, Baumler W. Tattoo inks contain polycyclic aromatic hydrocarbons that additionally generate deleterious singlet oxygen. *Exp Dermatol* 2010; 19(8):E275-E281.

82. Maisch T, Regensburger J, Santarelli F, Ortland C, Moor AC, Szeimies R, Baumler W. In vitro study on light dosimetry variables of five different intense pulsed light systems for 5-aminolevulinic acid photodynamic therapy. *Exp Dermatol* 2010; 19(2):202-202.
83. Maisch T, Regensburger J, Santarelli F, Baumler W, Abels C. Interaction of linoleic acid and singlet oxygen after UV-A radiation: Does this have an influence on the skin barrier function? *Exp Dermatol* 2010; 19(2):203-203.
84. Lehner K, Engel E, Santarelli F, Maisch T, Vasold R, Penning R, Koenig B, Landthaler M, Baumler W. Modern tattoos contain azo pigments - identification and quantification of tattoo pigments in human skin specimen. *Exp Dermatol* 2010; 19(2):203-203.
85. Klugl I, Hiller KA, Landthaler M, Baumler W. Incidence of Health Problems Associated with Tattooed Skin: A Nation-Wide Survey in German-Speaking Countries. *Dermatology* 2010; 221(1):43-50.
86. Hillenkamp J, Dydykina S, Klettner A, Treumer F, Vasold R, Baumler W, Roeder J. Safety Testing of Indocyanine Green with Different Surgical Light Sources and the Protective Effect of Optical Filters. *Retina-J Ret Vit Dis* 2010; 30(10):1685-1691.
87. Engel E, Vasold R, Santarelli F, Maisch T, Gopee NV, Howard PC, Landthaler M, Baumler W. Tattooing of skin results in transportation and light-induced decomposition of tattoo pigments - a first quantification in vivo using a mouse model. *Exp Dermatol* 2010; 19(1):54-60.
88. Wenzel S, Landthaler M, Baumler W. Recurring Mistakes in Tattoo Removal A Case Series. *Dermatology* 2009; 218(2):164-167.
89. Regensburger J, Maisch T, Gollmer A, Baumler W. Dependence between UV-A radiation intensity and ability of singlet-oxygen production by fatty acids. *Exp Dermatol* 2009; 18(3):307-307.
90. Eivazi B, Ardelean M, Baumler W, Berlien HP, Cremer H, Elluru R, Koltai P, Olofsson J, Richter G, Schick B, Werner JA. Update on hemangiomas and vascular malformations of the head and neck. *Eur Arch Oto-Rhino-L* 2009; 266(2):187-197.
91. Baumler W. Tattoos - to treat or not to treat. *J Dtsch Dermatol Ges* 2009; 7:79-79.
92. Werner A, Baumler W, Zietz S, Kuhnel T, Hohenleutner U, Landthaler M. Hereditary haemorrhagic telangiectasia treated by pulsed neodymium : yttrium-aluminium-garnet (Nd : YAG) laser (1,064 nm). *Laser Med Sci* 2008; 23(4):385-391.
93. Vasold R, Engel E, Konig B, Landthaler M, Baumler W. Health risks of tattoo colors. *Anal Bioanal Chem* 2008; 391(1):9-13.
94. Regensburger J, Maisch T, Baier J, Poellmann C, Baumler W. Optical detection of singlet oxygen produced by fatty acids and phospholipids under UVA irradiation. *Exp Dermatol* 2008; 17(3):272-272.
95. Regensburger J, Engel E, Santarelli F, Maisch T, Ulrich H, Vasold R, Baumler W. Hazardous polycyclic aromatic hydrocarbons are present in tattoo inks that additionally generate singlet oxygen under UVA irradiation. *Exp Dermatol* 2008; 17(3):288-288.
96. Myhill J, Borrelli M, Kokoska M, Buckmiller L, Baumler W, Shafirstein G. Enhanced photothermal ablation with 805-nm near infrared (NIR) laser through administration of indocyanine green (ICG) encapsulated liposomes. *Laser Surg Med* 2008:95-95.
97. Hafner C, Stempf T, Baumler W, Hohenleutner U, Landthaler M, Vogt T. Gene expression profiling of melanocytes following Q-switched Ruby Laser irradiation. *Dermatology* 2008; 216(1):6-13.
98. Guerrero JA, Shafirstein G, Russell S, Varughese KI, Kanaji T, Liu J, Gartner TK, Baumler W, Jarvis GE, Ware J. In vivo relevance for platelet glycoprotein Ib alpha residue Tyr276 in thrombus formation. *J Thromb Haemost* 2008; 6(4):684-691.
99. Engel E, Ulrich H, Vasold R, Konig B, Landthaler M, Suttlinger R, Baumler W. Azo pigments and a basal cell carcinoma at the thumb. *Dermatology* 2008; 216(1):76-80.
100. Engel E, Schraml R, Maisch T, Kobuch K, Koenig B, Szeimies RM, Hillenkamp J, Baumler W, Vasold R. Light-induced decomposition of indocyanine green. *Invest Ophth Vis Sci* 2008; 49(5):1777-1783.
101. Engel E, Santarelli F, Vasold R, Maisch T, Ulrich H, Prantl L, Konig B, Landthaler M, Baumler W. Modern tattoos cause high concentrations of hazardous pigments in skin. *Contact Dermatitis* 2008; 58(4):228-233.
102. Bearden ED, Myhill J, Hennings L, Buckmiller L, Baumler W, Shafirstein G. Multiple pulse intense pulsed light improves selective photothermolysis. *Laser Surg Med* 2008:19-19.
103. Shafirstein G, Buckmiller LM, Waner M, Baumler W. Mathematical modeling of selective photothermolysis to aid the treatment of vascular malformations and hemangioma with pulsed dye laser. *Laser Med Sci* 2007; 22(2):111-118.
104. Maisch T, Baier J, Franz B, Szeimies R, Landthaler M, Baumler W. The role of singlet oxygen and oxygen concentration in photodynamic inactivation of bacteria. *Exp Dermatol* 2007; 16(3):237-238.
105. Maisch T, Baier J, Franz B, Maier M, Landthaler M, Szeimies RM, Baumler W. The role of singlet oxygen and oxygen concentration in photodynamic inactivation of bacteria. *P Natl Acad Sci USA* 2007; 104(17):7223-7228.
106. Engel E, Santarelli F, Vasold R, Maisch T, Ulrich H, Konig B, Landthaler M, Baumler W. Photochemical cleavage of a widely used tattoo pigment by UV-B radiation and natural sun light. *Allergologie* 2007; 30(8):309-309.
107. Engel E, Santarelli F, Vasold R, Maisch T, Ulrich H, Konig B, Landthaler M, Baumler W. The archaic procedure tattooing - a first indication of the amount of tattoo pigment in skin. *Allergologie* 2007; 30(8):308-309.
108. Engel E, Santarelli F, Vasold R, Maisch T, Howard P, Ulrich H, Konig B, Landthaler M, Baumler W. Quantitative extraction of tattoo pigments from skin to determine the concentration of pigments in tattooed skin. *Exp Dermatol* 2007; 16(3):283-284.
109. Baumler W, Vural E, Landthaler M, Muzzi F, Shafirstein G. The effects of intense pulsed light (IPL) on blood vessels investigated by mathematical modeling. *Laser Surg Med* 2007; 39(2):132-139.
110. Baumler W, Landthaler M, Muzzi F, Vural E, Shafirstein G. The effects of intense pulsed light (IPL) on blood vessels investigated by mathematical modeling. *Exp Dermatol* 2007; 16(3):284-284.
111. Baumler W, Landthaler M. New developments and technologies in dermatology. *Laser Med Sci* 2007; 22(2):65-65.
112. Baier J, Maisch T, Regensburger J, Loibl M, Vasold R, Baumler W. Time dependence of singlet oxygen luminescence provides an indication of oxygen concentration during oxygen consumption. *J Biomed Opt* 2007; 12(6).

113. Baier J, Maisch T, Maier M, Landthaler M, Baumler W. Direct detection of singlet oxygen generated by UVA irradiation in human cells and skin. *J Invest Dermatol* 2007; 127(6):1498-1506.
114. Baier J, Maisch T, Landthaler M, Baumler W. Direct detection of singlet oxygen generated by UVA irradiation in phospholipids, human cells and skin. *Exp Dermatol* 2007; 16(3):247-247.
115. Baier J, Loibl M, Maisch T, Regensburg J, Baumler W. Direct detection of oxygen depletion induced by singlet oxygen. *Exp Dermatol* 2007; 16(3):248-248.
116. Baier J, Fuss T, Pollmann C, Wiesmann C, Pindl K, Engl R, Baumer D, Maier M, Landthaler M, Baumler W. Theoretical and experimental analysis of the luminescence signal of singlet oxygen for different photosensitizers. *J Photoch Photobio B* 2007; 87(3):163-173.
117. Babilas P, Shafirstein G, Baier J, Schacht V, Szeimies RM, Landthaler M, Baumler W, Abels C. Photothermolysis of blood vessels using indocyanine green and pulsed diode laser irradiation in the dorsal skinfold chamber model. *Laser Surg Med* 2007; 39(4):341-352.
118. Saikia P, Maisch T, Kobuch K, Jackson TL, Baumler W, Szeimies RM, Gabel VP, Hillenkamp J. Safety testing of indocyanine green in an ex vivo porcine retina model. *Invest Ophth Vis Sci* 2006; 47(11):4998-5003.
119. Maisch T, Franz B, Baier J, Maier M, Landthaler M, Szeimies R, Baumler W. Investigation of photodynamic inactivation of bacteria using the detection of singlet oxygen luminescence. *Exp Dermatol* 2006; 15(3):230-230.
120. Engel E, Santarelli F, Vasold R, Ulrich H, Maisch T, Konig B, Landthaler M, Gopee NV, Howard PC, Baumler W. Establishment of an extraction method for the recovery of tattoo pigments from human skin using HPLC diode array detector technology. *Anal Chem* 2006; 78(18):6440-6447.
121. Baumler W, Ulrich H, Landthaler M, Shafirstein G. Optimal parameters for the treatment of leg veins using Nd : YAG lasers at 1064 nm. *Laser Surg Med* 2006:6-6.
122. Baumler W, Ulrich H, Landthaler M, Shafirstein G. Optimal parameters for the treatment of leg veins using Nd : YAG lasers at 1064 nm. *Laser Surg Med* 2006:69-69.
123. Baumler W, Ulrich H, Hartl A, Landthaler M, Shafirstein G. Optimal parameters for the treatment of leg veins using Nd : YAG lasers at 1064 nm. *Brit J Dermatol* 2006; 155(2):364-371.
124. Baumler W, Shafirstein G. A new mathematical model to visualize selective photothermolysis of intense pulsed light sources (IPL). *Laser Surg Med* 2006:5-5.
125. Baier J, Pollmann C, Maisch T, Maier M, Baumler W. UVA light and endogenous photosensitizers generate singlet oxygen that is quantified by measuring its luminescence. *Laser Surg Med* 2006:69-69.
126. Baier J, Pollmann C, Maisch T, Maier M, Baumler W. Ultraviolet-A light and singlet oxygen quantum yield of endogenous photosensitizers determined directly by its luminescence. *Exp Dermatol* 2006; 15(3):220-220.
127. Baier J, Maisch T, Maier M, Engel E, Landthaler M, Baumler W. Singlet oxygen generation by UVA light exposure of endogenous photosensitizers. *Biophys J* 2006; 91(4):1452-1459.
128. Babilas P, Kohl E, Maisch T, Backer H, Gross B, Branzan AL, Baumler W, Landthaler M, Karrer S, Szeimies RM. In vitro and in vivo comparison of two different light sources for topical photodynamic therapy. *Brit J Dermatol* 2006; 154(4):712-718.
129. Babilas P, Kohl E, Maisch T, Backer H, Gross B, Branzan A, Baumler W, Landthaler M, Karrer S, Szeimies R. In vitro and in vivo comparison of two different light sources for topical photodynamic therapy. *Exp Dermatol* 2006; 15(3):228-229.
130. Shafirstein G, Hartl A, Baumler W. Parametric sensitivity analysis in mathematical modeling of selective photothermolysis. *Laser Surg Med* 2005:16-16.
131. Shafirstein G, Baumler W, Ferguson S, North PE, Waner M. Photothermal mathematical modeling for optimal laser treatment of port-wine stains. *Laser Surg Med* 2005:90-90.
132. Hillenkamp J, Saikia P, Gora F, Sachs HG, Lohmann CP, Roider J, Baumler W, Gabel VP. Macular function and morphology after peeling of idiopathic epiretinal membrane with and without the assistance of indocyanine green. *Brit J Ophthalmol* 2005; 89(4):437-443.
133. Branzan A, Szeimies RM, Landthaler M, Baumler W. Laser scanning confocal microscopy and malignant melanoma. *Laser Surg Med* 2005:3-3.
134. Baumler WG, Hartl A, Ulrich H, Landthaler M, Shafirstein G. Selective photothermolysis of leg veins by laser irradiation - A comparison of clinical results and a new mathematical model. *Laser Surg Med* 2005:16-16.
135. Baumler W, Baier J, Maier M, Engl R, Landthaler M. Time-resolved investigations of singlet oxygen luminescence in complex biological systems. *Laser Surg Med* 2005:63-63.
136. Baier A, Maier M, Engl R, Landthaler M, Baumler W. Time-resolved investigations of singlet oxygen luminescence in water, in phosphatidylcholine, and in aqueous suspensions of phosphatidylcholine or HT29 cells. *J Phys Chem B* 2005; 109(7):3041-3046.
137. Babilas P, Shafirstein G, Baumler W, Landthaler M. Selective photothermolysis of blood vessels following FPD treatment in vivo. *J Am Acad Dermatol* 2005; 52(3):P4-P4.
138. Babilas P, Shafirstein G, Baumler W, Baier J, Landthaler M, Szeimies RM, Abels C. Selective photothermolysis of blood vessels following flashlamp-pumped pulsed dye laser irradiation: In vivo results and mathematical modelling are in agreement. *J Invest Dermatol* 2005; 125(2):343-352.
139. Vasold R, Naarmann N, Ulrich H, Fischer D, Konig B, Landthaler M, Baumler W. Tattoo pigments are cleaved by laser light - The chemical analysis in vitro provide evidence for hazardous compounds. *Photochem Photobiol* 2004; 80(2):185-190.
140. Shafirstein G, Baumler W, Lapidoth M, Ferguson S, North PE, Waner M. A new mathematical approach to the diffusion approximation theory for selective photothermolysis modeling and its implication in laser treatment of port-wine stains. *Laser Surg Med* 2004; 34(4):335-347.
141. Scherer K, Abels C, Baumler W, Ackermann G, Szeimies RM. Structure-activity relationships of three differently substituted 2,7,12,17-tetrakis-(beta-methoxyethyl) porphycene derivatives in vitro. *Arch Dermatol Res* 2004; 295(12):535-541.

142. Baumler W, Scherer K, Maier M, Abels C, Engl R. The detection of singlet oxygen in vitro at different subcellular localizations. *Laser Surg Med* 2003;49-49.
143. Baumler W, Kilger R, Engl R, Scherer K, Maier M. Singlet oxygen luminescence and Monte Carlo simulations in aqueous suspensions of phosphatidylcholine. *Laser Surg Med* 2003;49-49.
144. Baumler W, Ackermann G, Szeimies RM, Abels C. The kinetics of ALA-induced fluorescence of human skin tumors in vivo. *Laser Surg Med* 2003;48-48.
145. Engl R, Kilger R, Maier M, Scherer K, Abels C, Baumler W. Singlet oxygen generation by 8-methoxypsoralen in deuterium oxide: Relaxation rate constants and dependence of the generation efficacy on the oxygen partial pressure. *J Phys Chem B* 2002; 106(22):5776-5781.
146. Baumler W, Vasold R, Naarmann N, Fischer D, Sens B, Konig B, Landthaler M. Q-SWITCH laser and tattoo pigments - A chemical analysis of laser induced decomposition compounds. *Laser Surg Med* 2002;23-23.
147. Baumler W, Scherer K, Abels C, Neff S, Landthaler MI, Szeimies RM. The effect of different spot sizes on the efficacy of hair removal using a long-pulsed diode laser. *Dermatol Surg* 2002; 28(2):118-121.
148. Baumler W, Kilger R, Maier M, Scherer K, Abels C, Engl R. Singlet oxygen generation by 8-MOP in deuterium oxide: relaxation rate constants and dependence of the generation efficacy on the oxygen partial pressure. *Laser Surg Med* 2002;49-49.
149. Baumer D, Maier M, Engl R, Szeimies RM, Baumler W. Singlet oxygen generation by 9-acetoxy-2,7,12,17-tetrakis(beta-methoxyethyl)-porphycene (ATMPn) in solution. *Chem Phys* 2002; 285(2-3):309-318.
150. Ackermann G, Hartmann M, Scherer K, Lang EW, Hohenleutner U, Landthaler M, Baumler W. Correlations between light penetration into skin and the therapeutic outcome following laser therapy of port-wine stains. *Laser Med Sci* 2002; 17(2):70-78.
151. Wimmershoff MB, Scherer K, Baumler W, Hohenleutner U, Landthaler M. Treatment of therapy-resistant Verrucae vulgares with the long-pulsed tunable dye laser. *Hautarzt* 2001; 52(8):701-704.
152. Kilger R, Maier M, Szeimies RM, Baumler W. Bidirectional energy transfer between the triplet T-1 state of photofrin and singlet oxygen in deuterium oxide. *Chem Phys Lett* 2001; 343(5-6):543-548.
153. Baumler W, Eibler ET, Hohenleutner U, Sens B, Sauer J, Landthaler M. Q-switch laser and tattoo pigments: First results of the chemical and photophysical analysis of 41 compounds. *Laser Surg Med* 2000; 26(1):13-21.
154. Ackermann G, Abels C, Karrer S, Baumler W, Landthaler M, Szeimies RM. Fluorescence-directed biopsy of basal cell carcinomas. *Hautarzt* 2000; 51(12):920-924.
155. Abels C, Fickweiler S, Weiderer P, Baumler W, Hofstadter F, Landthaler M, Szeimies RM. Indocyanine green (ICG) and laser irradiation induce photooxidation. *Arch Dermatol Res* 2000; 292(8):404-411.
156. Szeimies RM, Abels C, Fickweiler S, Baumler W, Landthaler M. Photooxidative cell killing in vitro after photosensitization with a new porphycene. *J Invest Dermatol* 1999; 113(3):469-469.
157. Messmann H, Knuchel R, Baumler W, Holstege A, Scholmerich J. Endoscopic fluorescence detection of dysplasia in patients with Barrett's esophagus, ulcerative colitis, or adenomatous polyps after 5-aminolevulinic acid-induced protoporphyrin IX sensitization. *Gastrointest Endosc* 1999; 49(1):97-101.
158. Karrer S, Szeimies RM, Ernst S, Abels C, Baumler W, Landthaler M. Photodynamic inactivation of staphylococci with 5-aminolaevulinic acid or photofrin. *Laser Med Sci* 1999; 14(1):54-61.
159. Karrer S, Baumler W, Abels C, Hohenleutner U, Landthaler M, Szeimies RM. Long-pulse dye laser for photodynamic therapy: investigations in vitro and in vivo. *Laser Surg Med* 1999; 25(1):51-59.
160. Gratz H, Penzkofer A, Abels C, Szeimies RM, Landthaler M, Baumler W. Photo-isomerisation, triplet formation, and photo-degradation dynamics of indocyanine green solutions. *J Photoch Photobio A* 1999; 128(1-3):101-109.
161. Fickweiler S, Abels C, Karrer S, Baumler W, Landthaler M, Hofstadter F, Szeimies RM. Photosensitization of human skin cell lines by ATMPn (9-acetoxy-2,7,12,17-tetrakis(beta-methoxyethyl)-porphycene) in vitro: mechanism of action. *J Photoch Photobio B* 1999; 48(1):27-35.
162. Baumler W, Abels C, Karrer S, Weiss T, Messmann H, Landthaler M, Szeimies RM. Photo-oxidative killing of human colonic cancer cells using indocyanine green and infrared light. *Brit J Cancer* 1999; 80(3-4):360-363.
163. Abels C, Baumler W, Landthaler M, Szeimies RM. ICG-Mediated phototherapy for the treatment of solid tumors. *J Invest Dermatol* 1999; 113(3):466-466.
164. Walther T, Baumler W, Wenig M, Landthaler M, Hohenleutner UI. Selective photothermolysis of hair follicles by normal-mode ruby laser treatment. *Acta Derm-Venereol* 1998; 78(6):443-444.
165. Szeimies RM, Fickweiler S, Abels C, Baumler W, Karrer S, Hofstadter F, Wolfbeis O, Landthaler M. In vitro photodynamic effects of Dimedin (2,4-Di-(alpha-methoxyethyl)-deuteroporphyrin IX): Uptake, localization and cell survival. *J Invest Dermatol* 1998; 110(4):702-702.
166. Messmann H, Knuchel R, Endlicher E, Hauser T, Szeimies RM, Kullmann F, Baumler W, Scholmerich J. Photodynamic diagnosis of gastrointestinal precancerous lesions after sensitization with 5-aminolaevulinic acid: a pilot study. *Deut Med Wochenschr* 1998; 123(17):515-521.
167. Karrer S, Abels C, Baumler W, Landthaler M, Szeimies RM. Topical photodynamic therapy with 5-aminolevulinic acid for actinic keratoses using the sclerolaser (R) at 585 NM. *J Invest Dermatol* 1998; 110(4):679-679.
168. Hohenleutner U, Wenig M, Walther T, Baumler W, Landthaler M. Treatment of ectatic leg veins with a flashlamp-pumped pulsed dye laser with 1,5 ms pulse length. *Hautarzt* 1998; 49(7):560-565.
169. Hohenleutner U, Walther T, Wenig M, Baumler W, Landthaler M. Leg telangiectasia treatment with a 1.5 ms pulsed dye laser, ice cube cooling of the skin and 595 vs 600 nm: Preliminary results. *Laser Surg Med* 1998; 23(2):72-78.
170. Hohenleutner S, Hohenleutner U, Baumler W, Landthaler M. Laser skin resurfacing. Er : YAG laser and cw-CO2 laser with scanner system in direct comparison. *Hautarzt* 1998; 49(5):367-371.
171. Ackermann G, Abels C, Baumler W, Langer S, Landthaler M, Lang EW, Szeimies RM. Simulations on the selectivity of 5-aminolaevulinic acid-induced fluorescence in vivo. *J Photoch Photobio B* 1998; 47(2-3):121-128.
172. Ackermann G, Abels C, Baumler W, Karrer S, Lang E, Landthaler M, Szeimies RM. Fluorescence diagnosis of skin tumors following topical application of 5-aminolevulinic acid. *J Invest Dermatol* 1998; 110(4):677-677.

173. Abels C, Langer S, Baumler W, Karrer S, Landthaler M, Szeimies RM, Goetz AE. Targeting of the microvasculature of solid tumors by ICG-mediated phototherapy. *J Vasc Res* 1998; 35:97-97.
174. Abels C, Langer S, Baumler W, Karrer S, Goetz AE, Landthaler M, Szeimies RM. Targeting of the microvasculature of solid tumors by ICG-mediated phototherapy. *J Invest Dermatol* 1998; 110(4):693-693.
175. Abels C, Karrer S, Baumler W, Goetz E, Landthaler M, Szeimies RM. Indocyanine green and laser light for the treatment of AIDS associated cutaneous Kaposi's sarcoma. *Brit J Cancer* 1998; 77(6):1021-1024.
176. Reindl S, Penzkofer A, Gong SH, Landthaler M, Szeimies RM, Abels C, Baumler W. Quantum yield of triplet formation for indocyanine green. *J Photoch Photobio A* 1997; 105(1):65-68.
177. Michel S, Hohenleutner U, Baumler W, Landthaler M. The Q-switched ruby laser in dermatologic therapy - Uses and indications. *Hautarzt* 1997; 48(7):462-470.
178. Messmann H, Szeimies RM, Baumler W, Knuchel R, Zirngibl H, Scholmerich J, Holstege A. Enhanced effectiveness of photodynamic therapy with laser light fractionation in patients with esophageal cancer. *Endoscopy* 1997; 29(4):275-280.
179. Messmann H, Baumler W, Debl K, Szeimies RM, Scholmerich J, Holstege A. Phototherapy of colon, hepatoma and differently graded pancreatic carcinoma cell lines after sensitisation with indocyanine green. *Gastroenterology* 1997; 112(4):A614-A614.
180. Messmann H, Baumler W, Debl K, Abels C, Szeimies RM, Scholmerich J, Holstege A. Indocyanine green a new photosensitizer for PDT in human colon carcinoma cells? Intracellular uptake and phototoxic effects in vitro. *Gastroenterology* 1997; 112(4):A614-A614.
181. Karrer S, Szeimies RM, Ebert A, Fickweiler S, Abels C, Baumler W, Landthaler M. Dose-dependent photodynamic effects of 9-acetoxy-2,7,12,17-tetrakis-(beta-methoxyethyl)porphycene in vitro. *Laser Med Sci* 1997; 12(4):307-312.
182. Karrer S, Abels C, Szeimies RM, Baumler W, Dellian M, Hohenleutner U, Goetz AE, Landthaler M. Topical application of a first porphycene dye for photodynamic therapy - Penetration studies in human perilesional skin and basal cell carcinoma. *Arch Dermatol Res* 1997; 289(3):132-137.
183. Karrer S, Abels C, Baumler W, Steinbauer M, Landthaler M, Szeimies RM. Photochemotherapy with indocyanine green of cutaneous metastases of rectal carcinoma. *Deut Med Wochenschr* 1997; 122(37):1111-1114.
184. Hohenleutner U, Hohenleutner S, Baumler W, Landthaler M. Fast and effective skin ablation with an Er:YAG laser: Determination of ablation rates and thermal damage zones. *Laser Surg Med* 1997; 20(3):242-247.
185. Fickweiler S, Szeimies RM, Baumler W, Steinbach P, Karrer S, Goetz AE, Abels C, Hofstadter F, Landthaler M. Indocyanine green: Intracellular uptake and phototherapeutic effects in vitro. *J Photoch Photobio B* 1997; 38(2-3):178-183.
186. Fickweiler S, Ebert A, Baumler W, Szeimies RM, Landthaler M, Hofstadter F. Photosensitization and lysosomal localization of 9-acetoxy-2,7,12,17-tetrakis-(beta-methoxyethyl)-porphycene (ATMPn) in immortalized human keratinocytes (HaCaT). *Eur J Cell Biol* 1997; 72:286-286.
187. Wlotzke U, Hohenleutner U, AbdElRaheem TA, Baumler W, Landthaler M. Side-effects and complications of flashlamp-pumped pulsed dye laser therapy of port-wine stains. A prospective study. *Brit J Dermatol* 1996; 134(3):475-480.
188. Szeimies RM, Karrer S, Abels C, Steinbach P, Fickweiler S, Messmann H, Baumler W, Landthaler M. 9-acetoxy-2,7,12,17-tetrakis-(beta-methoxyethyl)-porphycene (ATMPn) a novel photosensitizer for photodynamic therapy: Uptake kinetics and intracellular localization. *J Photoch Photobio B* 1996; 34(1):67-72.
189. Philip R, Penzkofer A, Baumler W, Szeimies RM, Abels C. Absorption and fluorescence spectroscopic investigation of indocyanine green. *J Photoch Photobio A* 1996; 96(1-3):137-148.
190. Messmann H, Szeimies RM, Gross V, Baumler W, Knuchel R, Zirngibl H, Landthaler M, Scholmerich J, Holstege A. Enhanced PDT effect in patients with esophageal cancer by laser light fractionation - A pilot study. *Gastrointest Endosc* 1996; 43(4):202-202.
191. Karrer S, Abels C, Baumler W, Ebert A, Landthaler M, Szeimies RM. Topical photodynamic therapy of psoriasis using a novel porphycene dye. *J Invest Dermatol* 1996; 107(3):112-112.
192. Hohenleutner U, Baumler W, Karrer S, Michel S, Landthaler M. The treatment of childhood hemangiomas with the flashlamp-pumped pulsed dye laser. *Hautarzt* 1996; 47(3):183-189.
193. Hohenleutner U, Baumler W, Karrer S, Michel S, Landthaler M. Experience with the early treatment of childhood haemangiomas using the flashlamp-pumped dye laser. *Laser Med Sci* 1996; 11(3):181-183.
194. Abels C, Karrer S, Baumler W, Landthaler M, Szeimies RM. ICG-mediated phototherapy for the treatment of Kaposi's sarcoma. *J Invest Dermatol* 1996; 107(3):411-411.
195. Szeimies RM, Abels C, Karrer S, Baumler W, Hohenleutner U, Goetz AE, Landthaler M. A New Porphycene for Photodynamic Therapy - Penetration Studies in Human Perilesional Skin and Basal-Cell Carcinoma. *J Invest Dermatol* 1995; 105(3):510-510.
196. Szeimies RM, Abels C, Fritsch C, Karrer S, Steinbach P, Baumler W, Goerz G, Goetz AE, Landthaler M. Wavelength Dependency of Photodynamic Effects after Sensitization with 5-Aminolevulinic Acid in-Vitro and in-Vivo. *J Invest Dermatol* 1995; 105(5):672-677.
197. Pfau A, Abdelraheem TA, Baumler W, Hohenleutner U, Landthaler M. Treatment of Recalcitrant Verrucae Vulgares with Nd-Yag Laser Hyperthermia (Regensburg Technique) - Preliminary-Results in 31 Cases. *J Dermatol Treat* 1995; 6(1):39-42.
198. Hohenleutner U, Aly TAA, Baumler W, Wlotzke U, Landthaler M. Port-Wine Stains in Childhood and Adolescence - Treatment with the Flashlamp-Pumped Pulsed Dye-Laser. *Hautarzt* 1995; 46(2):87-93.
199. Szeimies RM, Hein R, Baumler W, Heine A, Landthaler M. A Possible New Incoherent Lamp for Photodynamic Treatment of Superficial Skin-Lesions. *Acta Derm-Venereol* 1994; 74(2):117-119.
200. Pfau A, Abdelraheem TA, Baumler W, Hohenleutner U, Landthaler M. Nd-Yag Laser Hyperthermia in the Treatment of Recalcitrant Verrucae Vulgares (Regensburgs Technique). *Acta Derm-Venereol* 1994; 74(3):212-214.
201. Petrov V, Wittmann M, Baumler W, Penzkofer A. Femtosecond Pulse Generation around 650-Nm in a Passive Mode-Locked Kiton Red-Dye Laser. *Opt Commun* 1993; 95(1-3):81-84.

202. Wittmann M, Penzkofer A, Baumler W. Generation of Frequency Tunable Femtosecond Pulses in a Cw Pumped Linear Dispersion-Balanced Passive Mode-Locked Rhodamine 6g Dye-Laser. *Opt Commun* 1992; 90(1-3):182-192.
203. Penzkofer A, Wittmann M, Baumler W, Petrov V. Theoretical-Analysis of Contributions of Self-Phase Modulation and Group-Velocity Dispersion to Femtosecond Pulse Generation in Passive Mode-Locked Dye-Lasers. *Appl Optics* 1992; 31(33):7067-7082.
204. Penzkofer A, Baumler W. Femtosecond Pulse Generation in a Cw Pumped Passive Mode-Locked Linear Rhodamine 6g Dye-Laser. *Inst Phys Conf Ser* 1992(126):89-92.
205. Baumler W, Schmalzl AX, Gossel G, Penzkofer A. Fluorescence Decay Studies Applying a Cw Femtosecond Dye-Laser Pumped Ungated Inverse Time-Correlated Single Photon-Counting System. *Meas Sci Technol* 1992; 3(4):384-393.
206. Baumler W, Penzkofer A. Femtosecond Pulse Generation in a Linear Passive Mode-Locked Dye-Laser. *Opt Quant Electron* 1992; 24(3):313-344.
207. Penzkofer A, Baumler W. Saturable Absorption Dynamics of Dodci. *Opt Quant Electron* 1991; 23(3):439-459.
208. Penzkofer A, Baumler W. Theoretical-Analysis of Pulse Development in a Colliding Pulse Mode-Locked Dye-Laser. *Opt Quant Electron* 1991; 23(6):727-754.
209. Baumler W, Penzkofer A. Measurement of Background Energy Content of a Linear Cw Colliding Pulse Mode-Locked Dye-Laser. *Opt Commun* 1991; 85(4):326-330.
210. Baumler W, Penzkofer A. Fluorescence Spectroscopic Analysis of N and P Isomers of Dodci. *Chem Phys* 1990; 140(1):75-97.
211. Baumler W, Penzkofer A. Accumulation of Dodci P-Isomers by Laser Excitation. *Chem Phys* 1990; 142(3):431-443.
212. Baumler W, Penzkofer A. Isomerization of Dodci in the S₀ Ground-State. *Chem Phys Lett* 1988; 150(3-4):315-320.